











#### Esempi di applicazione - Application examples

Schema di impianto con A00910001 klima102-Rad - System diagram with A00910001 klima102-Rad



#### Dimensioni - Dimensions



#### Testi di capitolato - Product specifications

##### A00930201

Modulo attuatore della parte idraulica dell'impianto radiante. Provvede a: apertura/chiusura degli attuatori elettrotermici (fino ad un massimo di 20); apertura/chiusura della valvola miscelatrice; accensione/spengimento del circolatore; avviare/arrestare le macchine deumidificatrici; commutazioni estate/inverno. È in grado di gestire fino ad un massimo di 8 ambienti, bagni esclusi (gestiti da uscita relè dedicata). Alimentazione 230 Vac; 50 Hz. Campo di temperatura di funzionamento 0÷50 °C. Campo di temperatura di stoccaggio -10÷75 °C. Dimensioni 351 x 112 x 56 mm.

Actuator module of the radiant system hydraulic component. It carries out the following actions: opens/closes the thermo-electric actuators (up to 20); opens/closes the mixing valve; turns ON/OFF the circulator; starts/stops the dehumidifiers; summer/winter commutation. It can control up to 8 rooms, bathrooms excluded (controlled by a dedicated relay outlet). 230 Vac power supply; 50 Hz. Operating temperature range 0÷50 °C. Storage temperature range -10÷75 °C. Dimensions 351 x 112 x 56 mm.

#### Contenuto confezione - Package contents

- Modulo A00930201
- A00930201 module

